

ashwell business park,  
cork road, cashel, co. tipperary

t: 062 61258 f: 062 62864  
e: info@lionprint.ie w: www.lionprint.ie



# Artwork Approval

**This artwork will not proceed to print until approval is received.**

**PLEASE check this proof carefully for errors and omissions. If it is ok to proceed please email it back to us stating that it is approved.**

The approval of this document constitutes acceptance of full responsibility for all the accuracy and suitability of the work. Lion Print will not accept liability for errors overlooked at this stage of proofing. Any changes from your previously approved copy will be charged extra according to both time and materials.

**Date:** 9-11-10

**Version:** 8

# Aggers Pump/Bander/TB Guns

## Aggers Pump

**68. Agger Cattle Pump**  
For a quick and easy oral administration of fluids to cattle



The new Agger's® Cattle Pump allows one man to deliver 20 litres of fluid into the rumen in just 2 minutes. It is robust and more economic. The formulae's supply large quantities of readily available, targeted, nutrients to cattle at risk of acidosis, ketosis, milk fever and dehydration.

**69. Restore** **450gm (12 sachets)**  
For cows at risk of dehydration caused by failure to drink, diarrhoea, surgery (esp. caesarian section) or peritonitis.

**70. Off feed** **785gm (12 sachets)**  
For cows with inappetance in early lactation and for correction of left displacement of the abomasum

**71. Fresh Cow** **700gm (12 sachets)**  
For cows for freshly calved cows at risk of milk fever, ketosis (if dehydrated) and displaced abomasums.

**72. Antacid** **400gm (12 sachets)**  
For cows at risk of acidosis and heat stress.

**73. Glycerol Plus** **1lt**  
For cows at risk to Ketosis

## Bander

**74. The Callicrate Bander**  
The Callicrate Bander has earned a reputation as the most humane and effective bloodless castration method on the market.



## 75. Bander Loops

## McLintock Preset TB Syringe

the McIntock® Syringe can be preset for the required number of doses up to twenty, each of 0.1c.c. Available:

- 76. McIntock Syringe (single)**
- 77. McIntock Syringe (Pair)**
- 78. Belt and Holster,**
- 79. TB Needles Size 3/8**
- 80. TB Needles Size 5/16**
- 81. TB Callipers (Calibrated)**
- 82. TB Testing Scissors (Serrated)**



**83. McIntock Syringe Servicing & Certification**  
Duggan Veterinary provide an official Government certified TB repair and certification service to the Veterinary surgeon. The service provided is fast, reliable and economical. All McIntock syringes undergo a full examination and undergo a complete overhaul during service.

# Scrubs/Husbandry/Fluids

## Scrubs

PRODUCT	CONSTITUENT	SIZE
Hibbiscrub	Chlorhexidine Gluconate	5lt
Chlorhexidine	Chlorhexidine Gluconate	5lt & 500ml

## Povidine:

Surgical Scrub	0.75% w/v available Iodine	5lt & 500ml
Antiseptic Scrub	1% w/w Iodine - Aqueous Solution	5lt & 500ml

Nex Iodio Pad	Surgical Scrub PVP-1 7.5%	40 units
Nex Clorex Pad	Surgical Scrub CHG 4%	40 units
Triclonex Pad (Sensitive Skin)	Surgical Scrub Triclosan 0.5%	40 units

## Husbandry

PRODUCT	SIZE
Hydrogen Peroxide	1lt, 2.5lt
Surgical Spirits	1lt, 2.5lt
Iodine Strong 10%	500ml, 1lt, 2.5lt, 5lt
Iodine 6.8%	500ml
Iodine 2.5%	500ml, 1lt, 2.5lt
Lugols Iodine	5lt
Agri - Gel	500ml, 1lt, 2lt, 5lt
Liquid Paraffin	1lt, 5lt
Methalyted Spirits	1lt, 2lt, 5lt
Glycerine	1lt, 5lt



## Fluids

DESCRIPTION	COMPOSITION	100ml	125ml	250ml	500ml	1L	2L	3L	5L
Vetivex 1	Sodium Chloride 0.9% (Isotonic Saline)	Mini	✓	✓	✓				
Vetivex 1	Sodium Chloride 0.9% + Glucose		✓	✓					
Vetivex 6	Glucose 5%		✓	✓					
Vetivex 9	Compound Sodium Chloride (Ringers Solution)		✓	✓					
Vetivex 11	Compound Sodium Lactate (Hartmans Solution)		✓	✓	✓	✓	✓	✓	✓
Vetivex 18	Sodium Chloride 0.18% + Glucose 4%		✓	✓					
Vetivex 20	Sodium Chloride 7.2% (Hypertonic Saline)		✓	✓	✓	✓	✓	✓	✓
Gelofusine	4% w/v soultuion for infusion		✓						
Oxyglobin	Haemoglobin Glutamer - 200 (bovine)	✓							

## PRODUCT MANAGER:

Donnacha Duggan m: 086 6017749

e: sales@dugganvet.ie

w: www.dugganvet.ie

## AREA SALES MANAGERS:

Donal Duggan m: 086 2662402

Ronnie Grace m: 086 2621519

Raymond Young m: 086 8192400



# Large Animal

## Product Brochure

AREA SALES MANAGERS: Donal Duggan m: 086 2662402 Ronnie Grace m: 086 2621519 Raymond Young m: 086 8192400

Duggan Veterinary, Holycross, Thurles, Co. Tipperary.

Tel: 0504 43169 Fax: 0504 43147 Email: sales@dugganvet.ie Web: www.dugganvet.ie

# Suture Materials/Bandages/Dressing

## Absorbable and Non-absorbable Suture Material

ABSORBABLE SUTURE	WOUND SUPPORT	SIZE EP	PRESENTATION	TYPE
CATGUT CHROM	7 DAYS	2 - 8	CASS	NATURAL COLLAGEN-TWISTED MULTIFILAMENT
MONOFILAMENT POLYDIOXONE	60 DAYS	1.5 - 6	CASS/FP	MONOFILAMENT
POLYGLYCOLIC ACID	30 DAYS	1.5-8	CASS/FP	BRAIDED MUTIFILAMENT
POLYGLYLACTINE 910	30 DAYS	1.5 - 6	FP	ABSORBABLE MONOFILAMENT
POLYGLYCOLIC ACID RAPID	10 DAYS	2 - 5	FP	RAPID POLYGLYCOLIC ACID
MONOFAST POLYGLYCAPRONE 25	20 DAYS	1.5 - 4	FP	MONOFAST POLYGLYCAPRONE

  

NON-ABSORBABLE SUTURE	SIZE EP	PRESENTATION	TYPE
SUPERMID WHITE	1.5 - 8	CASS	TWISTED & COATED MULTIFILAMENT
DACLON NYLON BLUE	1.5 - 6	CASS	NYLON MONOFILAMENT
STEEL MONOFILAMENT	1.5 - 4	CASS	STEEL MONOFILAMENT
DERMAFIL	1.5 - 8	CASS	POLYESTER BRAIDED MULTIFILAMENT
HERNIA MESH	30cm x 30cm	1 x Mesh Sheet	MONOFILAMENT POLYPROPYLENE / ELASTIC MESH

## Dressing

PRODUCT	DESCRIPTION	SIZE	QTY
Lintex Poultry Dressing	Two sided dressing (non woven/plastic backing)	10cm x 10cm	10 poultice
Algivon	Gauze dressing impregnated with Activon honey	10cm x 10cm	5 sheets
Activon Tulle	Non adherent dressing with Manuka Honey	10cm x 10cm	5 sheets
Zinc Oxide Tape	Skin friendly adhesive tape	1.25cm & 2.5cm	1 roll
Leukopore	Hypoallergenic tape for sensitive skin for long term dressing	2.5cm X 9.2m	12 rolls
White Open Weave (WOW)	Non elastic wound dressing	5cm x 5cm	1 roll
Citrugel	Amorphous Hydrogel with Polysaccharides	12 x 15g	12 tubes
Activon Tube	Medical Grade Manuka Honey	12x15g	12 tubes
Skin Care Powder	dressing containing fly repellent	100g	1 bottle
Advazorb Plus	Low-adherent, hydrophilic, polyurethane foam wound dressing	10cm x 10cm	10 Sheets

## Bandages & Casting

PRODUCT	DESCRIPTION	SIZE	QTY
DugWrap	Cohesive fixing and support bandage - double non slip finish	5cm, 7.5cm, 10cm	N/A
DugCast	Fast acting casting material	5cm, 7.5cm, 10cm, 12.5cm	10 rolls
DugWool	Sterile cotton wool	500g & 1000g	1 roll
DugSoft	Comfortable, soft and smooth orthopaedic padding	5cm, 7.5cm, 10cm, 12.5cm, 15cm	12 rolls
DugSwab	Sterile Surgical Swab	10cm x 10cm	1 pack
Vet Gauze	Sterile Gauze Dressing	45cm	1 roll
Tensoplast (Elasto Plast)	Heavyweight stretch tape, controls and reduces post injury edema	5cm, 7.5cm, 10cm	12 rolls

Order today **0504 43169**

# Vaccines/Antibiotics

## Vaccines

### 1. Startvac 2ml (1 dose) & 10ml (5 doses)

**Indications:** For herd immunisation of healthy cows and heifers, in dairy cattle herds with recurring mastitis problems, to reduce the incidence of sub-clinical mastitis and the incidence and the severity of the clinical signs of clinical mastitis caused by Staphylococci aureus, coliforms and coagulase-negative staphylococci.

**Withdrawal:** zero days

**Dosage:** 2ml Dosage (Classic Protocol – 3 doses, Alternative Protocol - 4 doses)



### 2. Hiprabovis Pneumos 10 dose vial / 50 dose bottle

**Indications:** reduction in clinical signs and lung lesions caused by Mannheimia haemolytica serotype A1 and Histophilus somni, for bovine respiratory disease (BRD).

**Withdrawal:** zero days

**Species:** Bovine

**Dosage:** 2ml/animal. One dose per calf, at 2 months of age, repeated after 21 days. Vaccinate calves by subcutaneous injection in the prescapular area.



## Antibiotics

### 3. Gentaject 10% 10% 100ml

**Constituent:** Gentamicin

**Indications:** For the treatment of infections in horses susceptible to gentamicin, including Pseudomonas aeruginosa, Klebsiella, Rhodococcus equi and Salmonella spp.

**Withdrawal:** Treated horses may never be slaughtered for human consumption

**Dosage:** Intramuscular: Adult Horse 2 to 4ml per 100kg, Foal: 0.2ml per 10kg

### 4. Megapen- Strep 100ml

**Constituent:** Dihydrostreptomycin Sulphate B.P, ProcaineBenzylpenicillin Ph. Eur, Methylparahydroxybenzoate Ph. Eur as preservative

**Indications:** Treatment and control of infections caused by Gram- positive and Gram negative organisms

**Withdrawal:** Meat 28 days, Milk 72 hours

**Dosage:** 0.5 – 1.0ml per 10kg bodyweight intramuscularly

### 5. Dexamethasone 100ml

**Constituent:** Dexamethasone (as sodium phosphate)

**Indications:** For the treatment of primary ketosis and as anti- inflammatory agent in bovine and equine.

**Withdrawal:** Meat & Offal: 28days, Milk 5 days

**Dosage:** Horse/cow 5 -15ml (ca. 0.02mg/kg) intramuscular or intravenous injection

### 6. Kariflox 10% (Oral) 250ml & 1 litre

**Constituent:** Enrofloxacin

**Indications:** Active against Gram (+) bacteria, Gram (-) bacteria and Mycoplasma, even at low doses.

**Withdrawal Period:** Meat: Turkeys and chickens 4 days; Eggs: Do not use for human consumption

**Dosage:** 10mg of enrofloxacin per kg of body weight per day for five consecutive days, corresponding to 50ml of product per 100 litres of water



# Antibiotics

### 7. Tylosin 20% 100ml

**Constituent:** Tylosin and Benzyl alcohol

**Indications:** Respiratory tract infections, mastitis caused by Streptococcus spp and Staphylococcus spp.

**Withdrawal:** Cows- Meat 35 days, Milk 4 days

**Dosage:** Intramuscular – Cow/calve: 10mg per kg body weight daily for 3- 5 days

### 8. Selectan 100ml & 250ml

**Constituent:** Florfenicol

**Indications:** Effective in treating both PRDC and Bovine Respiratory Disease.

**Withdrawal:** Cattle: Meat and Offal: 30 days (Not permitted in lactating animals producing milk for human consumption) Swine: Meat and Offal: 18 days

**Dosage:** Cattle: 1ml of Selectan per 15kg – Intramuscular route twice 48 hours apart. Swine: 1ml of Selectan per 20kg - Intramuscular route twice 48 hours apart



### 9. Oxipra 20 LA 100ml

**Constituent:** Oxytetracycline

**Indications:** A broad spectrum bacteriostatic antibiotic, active against most pathogenic bacteria which causes severe infections in farm animals.

**Withdrawal:** Meat 22 days; Milk 3 days

**Dosage:** 1ml of Oxipra per 10kg body weight – intramuscular

### 10. Eficur 50ml, 100ml & 250ml

**Constituent:** Ceftiofur Hydrochloride

**Indications:** Bacterial respiratory disease, acute interdigital necrobacillosis, acute post partum metritis.

**Withdrawal:** Cattle: Meat and offal: 8 days; Milk: 0 days

**Dosage:** 1ml of Eficur/50kg bw/day.



### 11. Hipracin 50ml

**Constituent:** Synthetic Oxytocin 10 IU

**Indications:** To promote involution of the post parturient uterus and thus aid the passage of retained placenta. To help control post partum haemorrhage.

**Withdrawal:** Meat and Offal: 12 hours; Milk: 12 hours

**Dosage:** Intramuscular - Cows; 1 to 4ml/cow, Sows & Ewes: 0.2ml to 1 ml/ animal

### 12. Enrocare 5% & 10% 100ml

**Constituent:** Enrofloxacin

**Indications:** Effective against E-coli mastitis, Rapidly effective against E.Coli mastitis and key respiratory pathogens.

**Withdrawal:** Enrocare 5% - Meat/Offal 14 days, Milk 72 hours

Enrocare 10%: Meat/ Offal 10 days, Milk 84 hours

**Dosage:** Enrocare 5% - 0.5ml per 10kg b/w for 3 days / Enrocare 10% - 2.5ml per 100kg b/w for 3 days



### 13. Vetrisol Inj 100ml

**Constituent:** Trimethoprim & Sulphamethoxazole

**Indications:** Infections caused by micro organisms susceptible to trimethoprim and/or sulfamethoxazole.

**Withdrawal:** Meat/offal 35 days, milk 5 days

**Dosage:** Intramuscular – 1ml per 10 -15kg bodyweight daily.

# Sedative/Fertility Drugs

## Sedative

### 14. Sedaxlyn 20mg/ml

**Indications for use:** Solution for injection for the sedation of horses, cattle, dogs and cats.

**Constituent:** Xylazine (base) 20.0 mg, Equivalent to 23.32 mg xylazine hydrochloride

**Dosage:** Cattle 0.05 – 0.20 mg per kg body weight IM or 0.25 – 1.0 ml injection solution/100 kg body weight IM 0.03 – 0.10 mg per kg body weight intravenously or 0.15 – 0.5 ml injection solution/100 kg body weight IV

**Withdrawal:** Cattle (meat) - One day. / Cattle (milk) - Zero days

## Fertility Drugs

### 15. Dalmarelin 10ml

**Indications:** For the induction of ovulation in cows and mares both for treatment of such conditions as ovarian cysts and for improvement of conception rates

### 16. Dalmazin 2ml & 20ml

**Constituent:** D-cloprosetenol 0.075mg

**Indications:** For reproduction: Synchronization or induction of oestrus. Induction of parturition. Therapeutic indications: Ovarian dysfunction (persistent corpus luteum, luteal cyst), interruption of pregnancy including foetal mummification, endometritis/ pyometra, delayed uterine involution.

**Withdrawal:** Milk 0 days; Meat and Offal: Cattle 0 days

**Dosage:** Intramuscular, 2ml (150 micrograms). Repeat after 11 days of Synchronisation of oestrus.

## Equine

### 17. Equipalzone Sachets/Pro Dynam - (Phenylbeut Powder) 100 sachets

**18. Epsom Salts (magnesium sulphate) 4kg**

**19. Muddy Marvel/Summer Freedom 250ml**

**20. Twydil Hemopar 1Lt**

**21. Electrolyte Syringes (Twydil/Refuel) 10 Syringes**

**22. Dermoline Insecticidal Shampoo (Lice) 500ml & 1Lt**

**23. Ivermectin Equine Paste 10 & 24**

**24. Pocket ID Scanner (Equine Microchips) Size on Request**

**25. Stomach Tubes All Sizes**

## Cattle

**26. Teat Mint 500ml**

**27. Louse Powder 350g & 3kg**

**28. Calf Kickstart 240ml**

**29. MHC Flush - Hygiene Flush 20 Boluses**

**30. Nimrod Red Calf - Calf Stimulent 6 x 15.6g Syringes**

**31. Decox Powder - Decoquinat - Medicated Powder 10kg**

**32. Scourproof Extra 14 x 100gm**

**33. Sulpha Powders - Sulphadimidine Sodium Powder 15g x 200**

**34. Vetrisol Powders - Trimethoprim & Sulfadiazine 100 x 25kg**

**35. CTC powder - Respiclor 15% 3 x 1kg**

**36. Stimulex Powders - Ruminant Feed 12 x 100g**

## Poultry

**37. Mineral Powder 450g**

**38. Mite Powder 120g**

**39. Liquid Tonic 500ml**

**40. Scaly legs 250ml 500ml**

**41. Total Mite Kill 750ml**

**42. Anti Peck Spray 500ml**

**43. Poultry Worming Solution Multi Kit 1 Kit**

# X-Ray/Gloves/Instruments/Needles

## Sheep

**44. Multilamb Rapid 225ml**

**45. Lamb Colustrum 228g**

**46. Sponges + Applicator 1 Unit**

**47. Stimovar PMSG 7500iu**

**48. Lamb Kickstart 100ml**

**49. Lamb bottles and Teats pull on – clear & black, latex**

**50. Lamb Puller & Sling**

**51. Ewe Prolapse Retainer**

**52. Ewe Prolapse Harness Nylon**

**53. Raddle Stick All Colours**

**54. Marksman Spray All Colours - 450ml**

## Scalpel Blades/Handles

**55. Scalpel Blades Sizes 10 – 24**

**56. Handles/Folding Handles No. 3 & 4**

## X- Ray

**57. X- Ray Film Blue & Green 24 x 30, 30 x 40, 35 x 43**

**58. X-ray Cassette Size on Request**

**59. X-ray Developer (Auto/Manual) Size on Request**

**60. X-ray Graphic Fixer (Auto/Manual) Size on Request**

## Gloves

**61. Latex (Powder & Powderfree) S, M, L, XL**

**62. Nitrile Gloves S, M, L, XL**

**63. Vinyl Gloves S, M, L**

**64. Surgical Gloves 6cm- 8cm**

**65. Long Arm Gloves 1 Size x 100**

**66. Long Arm (Sensitive) Gloves 1 Size x 100**

**67. Shoulder Length Gloves 1 Size x 50**

## Instruments

**Large Animal:** Bull Thongs, Dehorning Saw, Calving Jack HD & Moorepark, Calving Chains, Embryotomy Handles/Wire/Knife, Bleeding Needles, Trocar, Hook Knife, Vulva Suture Needles, Eye & Krey Hooks, Burdizzo Castrator 48cm.

**Forceps:** Mcphails, Olsen, Ponce, Artery, Dissecting, Lanes, Spencer, Straight/Curved, Mayo, Rat Tooth.

**Scissors:** Curved Serrated Scissors, Dressing, Mayo, Straight/Curved

**Equipment:** Humane Killer and Bullets, Andis/ Oyster Clippers and Blades.

## Stainless Steel Suture Needles

Needle Type	Point Type	Sizes
Round Body	Taper Point	Sz 1 - 20
Half Curved	Reverse Cutting	Sz 1 - 20
Curved Triangular	Reverse Cutting	Sz 1 – 20
Post mortem	Half Curved	Sz 4” – 5”
Post Mortem	Curved	Sz 4” – 6”
Serpentine Sut Needle		Sz 6”

